















# ALUGOM


















DATOS  
PERFILES



### 1. Datos perfiles

Ref.	Denominación	Diseño	Peso	Pe	$I_x \text{ cm}^4$	$I_y \text{ cm}^4$	$W_x \text{ cm}^3$	$W_y \text{ cm}^3$
17755	Montante de 17 mm.		1.181	352	4.022	8.262	1.686	3.305
9800	Montante de 50 mm.		1.784	572	27.49	17.46	7.369	6.984
9826	Montante de 75 mm.		2.179	670	74.76	24.04	14.94	9.616
9824	Montante de 100 mm.		2.573	768	155.7	30.61	24.42	12.24
9801	Montante de 125 mm.		2.979	867	265.6	38.71	35.14	15.48
9816	Montante de 150 mm.		3.276	967	407.2	45.00	46.53	18.00
9817	Montante de 175 mm.		3.573	1.067	586.7	51.29	58.94	20.52
9822	Montante de 200 mm.		3.871	1.167	807.5	58.58	72.33	23.03
9828	Montante de 225 mm.		4.960	1.258	1307.0	73.02	99.66	29.20
18776 <small>NO STOCK</small>	Montante de 250 mm.		6.157	1.403	2000.0	85.53	138.8	34.56
18808 <small>NO STOCK</small>	Montante de 290 mm.		12.374	1.555	4354.0	216.97	304.7	78.87
20743	Montante Proa 150 mm.		3.645	1.032	3610.68	18.413	40.21	7.37
17756	Travesaño de 21.5 mm.		0.963	366	3.749	8.155	1.794	3.262
9802	Travesaño de 53.5 mm.		1.341	505	24.47	16.07	6.924	6.428

Ref.	Denominación	Diseño	Peso	Pe	$I_x \text{ cm}^4$	$I_y \text{ cm}^4$	$W_x \text{ cm}^3$	$W_y \text{ cm}^3$
9825	Travesaño de 78.5 mm.		1.603	603	57.09	21.76	12.13	8.700
9823	Travesaño de 103.5 mm.		1.943	704	116.8	28.00	19.21	11.20
9803	Travesaño de 128.5 mm.		2.213	804	194.2	33.77	26.59	13.51
9818	Travesaño de 153.5 mm.		2.701	901	317.7	42.96	37.77	17.18
9819	Travesaño de 178.5 mm.		2.998	1.001	459.7	49.25	47.41	19.70
9821	Travesaño de 203.5 mm.		3.097	1.102	614.9	51.54	56.34	20.61
9827	Travesaño de 228.5 mm.		3.592	1.201	851.4	61.82	70.35	24.73
18777 <small>NO STOCK</small>	Travesaño de 253.5 mm		4.16	1.388	1144.8	69.85	83.28	27.94
9804	Esquinero de 75 mm.		2.825	965	78.59	78.59	15.133	15.133
10066M	Hoja Proyectante Tapeta		1.102	461	17.03	4.440	5.026	2.233
9808M	Cerco Proyectante Tapeta		1.297	587	42.89	6.707	9.067	2.038
9810	Presor para tapeta		0.439	143	0.077	3.906	-	-
9811	Tapeta de 15 mm.		0.249	164	0.160	3.162	-	-
9812	Tapeta de 12 mm.		0.220	144	0.084	2.555	-	-
16351	Presor para tapeta		0.408	132	0.053	3.288	-	-

Ref.	Denominación	Diseño	Peso	Pe	$I_x \text{ cm}^4$	$I_y \text{ cm}^4$	$W_x \text{ cm}^3$	$W_y \text{ cm}^3$
16352	Tapeta travesaño incl.		0.207	133	0.081	2.180	-	-
9813	Tapeta Elíptica 90 mm.		1.068	527	32.03	12.34	-	-
10077	Reductor de vidrio 10 mm.		0.106	76	0.044	0.043	-	-
10078	Reductor de vidrio 12 mm.		0.118	84	0.071	0.050	-	-
9829	Reductor de vidrio 18 mm.		0.181	118	0.213	7.559	-	-
9831	Perfil terminación a muro		0.918	368	4.190	3.404	-	-
9832	Perfil vidrio monolítico		0.593	261	0.919	2.591	-	-
9834M	Perfil acople cercos		0.704	280	1.769	4.765	-	-
10075	Taco unión travesaño		0.862	219	3.800	10.30	-	-
10076	Camisa montante		10.053	1.638	109.1	2693.7	49.59	185.7
9830	Camisa arranque		7.422	1.146	573.2	713.8	55.02	64.89
16192	Calzo de refuerzo vidrio 32-33 mm.		1.077	269	1.635	5.407	-	-
16193	Calzo de refuerzo vidrio 36-37 mm.		1.155	286	1.715	5.116	-	-
9814	Calzo cerco proyectante		0.440	113	0.051	3.312	-	-