







# Serie alg 83 PASSIVE HOUSE


## DATOS PERFILES

Ref.	Denominación	Diseño	Peso	Pe	$I_x \text{ cm}^4$	$I_y \text{ cm}^4$	$W_x \text{ cm}^3$	$W_y \text{ cm}^3$
628	Refuerzo postizo pilastra		1.040	287	7.843	11.72	5.466	11.16
629	Tapa refuerzo postizo		0.283	157	0.170	2.420	0.158	1.152
8412	Pletina falleba		0.137	47.2	0.005	0.163	0.022	0.168
16324	Vierteaguas clip 46.5 mm.		0.284	150	0.106	3.318	0.193	1.720
16325	Vierteaguas clip 56.5 mm.		0.324	169	0.115	5.263	0.102	1.488
16326	Vierteaguas clip 66.5 mm.		0.352	189	0.130	7.604	0.117	1.948
17449	Vierteaguas clip 76.5 mm.		0.398	209	0.155	10.94	0.156	2.438
17502	Vierteaguas clip 86.5 mm.		0.436	228	0.186	14.84	0.178	2.976
17503	Vierteaguas clip 96.5 mm.		0.473	247	0.225	19.48	0.208	3.524
17256	Vierteaguas clip 106.5 mm.		0.489	267	0.260	24.05	0.228	3.914
16321	Solapa clip 30 mm.		0.160	90	0.588	0.032	0.330	0.042
16322	Solapa clip 45 mm.		0.211	120	1.732	0.034	0.682	0.043
16323	Solapa clip 60 mm.		0.282	160	4.669	0.037	1.315	0.046
20075	Unión Cercos alg		0.163	112	0.052	0.267	-	-

# Serie alg 83 PASSIVE HOUSE



## DATOS PERFILES

Ref.	Denominación	Diseño	Peso	Pe	$I_x \text{ cm}^4$	$I_y \text{ cm}^4$	$W_x \text{ cm}^3$	$W_y \text{ cm}^3$
20093	Junta de Cercos		0.172	82.2	0.134	0.047	-	-

**NO STOCK** FUERA DE STOCK - Consultar plazo y condiciones de entrega

